

Supplementary material

Li X, Liu Z, Zhang S. Catastrophic antiphospholipid syndrome presenting initially as severe abdominal pain. *Pol Arch Intern Med.* 2023; 133: 16373. doi:10.20452/pamw.16373

Please note that the journal is not responsible for the scientific accuracy or functionality of any supplementary material submitted by the authors. Any queries (except missing content) should be directed to the corresponding author of the article.

Table S1. Lab examination in our hospital

Investigation	Normal Range	Day 1	Day 3	Day 7	Day 14	Day 60
WBC(×10 ⁹ /L)	4-10	12.3	22.1	16.5	8.3	6.8
Platelet(×10 ⁹ /L)	100-300	354	289	227	186	154
Hb(g/L)	110-150	158.2	142.3	125.1	135.8	124.7
ESR(mm/h)	0-15	126	/	86	33	19
D-dimer (g/L)	0-0.5	8.9	11.6	6.5	2.8	0.89
Fibrinogen (g/L)	1.8-3.5	7.91	8.27	4.82	3.85	3.47
Alb(g/L)	40-55	41.2	37.3	33.2	38.1	39.4
UREA(mmol/L)	2.60-7.50	12.35	17.52	22.38	15.53	19.47
Alanine aminotransferase (U/L)	0-40	89.2	118.4	97.3	64.2	57.2
Aspartate aminotransferase (U/L)	0-40	73.9	85.6	79.1	58.6	49.3
CREA(umol/L)	41.0-73.0	223.1	485.6	683.2	310.6	596.7
Procalcitonin (ng/mL)	0-0.25	5.12	14.17	8.12	2.16	0.43
anti-cardiolipin antibody IgM(RU/mL)	<20	48.54	108.55	79.23	48.45	35.41
Anti-β2 glycoprotein antibody IgM(RU/mL)	<20	55.23	98.12	78.23	52.14	39.43
Procalcitonin (ug/L)	0-0.25	15.6	11.8	6.4	1.6	0.21
NT- proBNP (pg/mL)	<125	1028.7	2457.6	4326.9	2189.4	1052.3
IgA(g/L)	1-4.2	2.53	/	2.32	1.57	/
IgG(g/L)	8.6-17.4	11.21	/	13.12	15.08	/
IgM(g/L)	0.3-2.2	0.68	/	1.27	1.09	/
C reactive protein (mg/L)	0-8	128.23	245.86	145.9	35.48	/
C 3(g/L)	0.79-1.52	0.89	0.87	/	1.23	/
C 4(g/L)	0.16-0.38	0.23	0.19	/	0.22	/
ASO(IU/mL)	0-116	<25	/	/	<25	/
RF(IU/mL)	0-20	<20	/	/	<20	/
AGBM	-	-	/	/	/	/
ANCA	-	-	/	/	/	/

WBC(white blood cell), Hb(hemoglobin), ESR(erythrocyte sedimentation rate), Alb(albumin), CREA(creatinine), Complement 3 (C 3), Complement 4 (C 4), ASO(anti streptolysin O), RF(rheumatoid factor), AGBM(anti-glomerular basement membrane antibody), ANCA(anti-neutrophil cytoplasmic antibody)