Supplementary material

Jędrzejczyk-Spaho J, Pietrucha A, Zasada W, et al. Assessment of neurocognitive functions in patients with vasovagal syndrome. Pol Arch Intern Med. 2023; 133: 16426. doi:10.20452/pamw.16426

Please note that the journal is not responsible for the scientific accuracy or functionality of any supplementary material submitted by the authors. Any queries (except missing content) should be directed to the corresponding author of the article.

Table S1. Results of head-up tilt test (HUTT) and classification of positive test results

according to VASIS classification

	HUTT	HUTT	HUTT	Cardiodepressive	Mixed	Vasodepressive
	positive	negative	doubtful	type	type	type
Number of people	32 (80%)	3 (7.5%)	5 (12.5%)	14 (44%)	18 (56%)	0 (0%)

Figure S1. COG test





Figure S2. CORSI test

		o C	
ð			
	Correction		

Figure S3. DAUF test

	wn a series of 5 triangles traveling across the triangles may be pointing down.
For example:	
\bigtriangledown	$\bigtriangleup \bigtriangleup \bigtriangleup \bigtriangledown \bigtriangledown$
If at any time exact green button as quic	ly 2 triangles are pointing DOWN press the ckly as possible.
Press the green but	ton to practice.

Figure S1. Mean time of correct reactions in the DAUF test in the study group and the control group. Horizontal line = mean value.



Mean time of correct reaction in the DAUF test.

Figure S2. The sum of correct answers in the DAUF test, percentile, in the study group and the control group. Horizontal line = median value.

